

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

INTERIM REPORT ON  
WORLDWIDE HISTORIC SURFACE FAULTING

by

M. G. Bonilla and Jane M. Buchanan

U.S. Geological Survey open-file report 1611  
Version 1.1

1970

This open-file report has not been edited or reviewed for  
conformity with Geological Survey standards

A contribution of the National Center for Earthquake Research,  
U.S. Geological Survey, prepared on behalf of the  
U.S. Atomic Energy Commission

## Version History

### Version History for:

Bonilla, M.G., and Buchanan, Jane M., 1970, Interim report on worldwide historic surface faulting: U.S. Geological Survey open-file report 1611, 32 p.

### Version 1.1 - July 16, 1999

Mike Diggles scanned Doc Bonilla's original typewriter pages and inkwork-on-Mylar illustrations, laid out the resulting TIF files in Adobe PageMaker, produced a Portable Document Format (PDF) file, and added bookmarks and thumbnails. The PDF is part of the reprint collection for the "International Handbook of Earthquake and Engineering Seismology" of the International Association of Seismology and Physics of the Earth's Interior to be published by Academic Press (Harcourt, Inc.). The PDF is also available on the Web at <http://wrgis.wr.usgs.gov/open-file/of1611/>

### Version 1.0 - 1970

First release with series designation as simply "open-file report" and the year 1970. The designation "open-file report 1611" (no initial capitals) was added later. Beginning in about 1971, numbering of Open-File Reports included the year; this one is part of the older numbering scheme that did not include the year.

## Contents

|   | <u>Page</u> |
|---|-------------|
| Introduction -----                                    | 1           |
| Explanation of table 1 -----                          | 2           |
| Designation of main fault -----                       | 6           |
| Fault types -----                                     | 7           |
| Fault displacement -----                              | 10          |
| Relations between fault parameters -----              | 10          |
| Magnitude related to displacement -----               | 14          |
| Magnitude related to length -----                     | 14          |
| Magnitude related to $LD^2$ -----                     | 17          |
| Displacement related to length -----                  | 17          |
| Variations of fault parameters by type of fault ----- | 17          |
| References cited -----                                | 21          |

## Illustrations

|   | <u>Page</u> |
|---|-------------|
| Figure 1. Fault types -----   | 8           |
| 2. Maximum surface displacement on main fault as related<br>to earthquake magnitude -----           | 15          |
| 3. Length of surface rupture on main fault as related<br>to earthquake magnitude -----              | 16          |
| 4. Relation of earthquake magnitude to surface length<br>times square of surface displacement ----- | 19          |
| 5. Maximum surface displacement as related to length of<br>surface rupture on main fault -----      | 20          |

## Tables

|   |    |
|---|----|
| Table 1. Selected worldwide historic surface faulting ----- | 4  |
| 2. Classification of fault types used in this report -----  | 9  |
| 3. Equations for lines of best fit -----                    | 11 |

INTERIM REPORT ON  
WORLDWIDE HISTORIC SURFACE FAULTING

by

M. G. Bonilla and Jane M. Buchanan

Introduction

This interim report presents data on and interrelations between the parameters L (length of surface rupture), D (maximum surface displacement), and M (Richter magnitude of associated earthquake) for the main traces of historic surface faults that have been reported in the worldwide literature. Original descriptions of the individual fault-events published in English, French, German, or Spanish were used whenever possible, supplemented by translations of selected passages of reports published in Japanese and Chinese. For some events, original descriptions were not published in these languages and secondary sources were used. Although more than 100 fault-events have been reported in the literature, only those for which reliable data (in the judgement of the present writers) were available on at least two of the three parameters M, L, and D are included in this interim report and listed in table 1. Some fault-events have been omitted because the available reports contained significantly different data for the same event and the writers had insufficient basis for choosing between them.

This report was prepared to permit early release of part of the results of a more comprehensive study of historic surface faulting now under way, and to elicit suggestions and criticisms from users of the report. Comments are especially invited regarding the methods used in designating the fault type and in identifying the main fault.

The more comprehensive report will deal with subsidiary faults as well as main faults, will have detailed citations of the sources of information, and will discuss various additional aspects of faulting. It is anticipated that reliable data on a few more faults will be obtained, and it is hoped that comments from users of this interim report will permit improvement of the comprehensive report. Thus it is expected that the comprehensive report will contain modifications of the present data and will be of larger scope.

#### Explanation of table 1

Some general comments on the table are given here; more specific comments are given in subsequent sections of the report.

The fault-events are listed geographically, and chronologically within geographic units. Faults numbered from 1 to 49 are in North America and those numbered 50 and greater are outside North America. (Each fault number also includes a letter indicating the fault type, which is explained in another section of the report.) The North American events are listed chronologically, oldest first. Faults outside North America are listed alphabetically by country and chronologically within each country. The data in the table apply to the main fault, as clarified in a following section of this report.

The column labelled "FAULT" gives the name of the fault, if known to the writers.

The date of the event is listed by year, followed by month and day.

The column headed "MAG" gives the Richter magnitude of the earthquake associated with the faulting. The intent was to include only instrumentally-determined magnitudes. If any non-instrumental, derived

magnitudes are listed, the writers would appreciate being advised of this by users of the report.

Length of surface faulting and fault displacement are given in the columns headed "L-METERS" and "DISP-METERS" respectively. Length and displacement are included only if field measurements were reported; estimates based on aftershock area, dislocation theory, or other indirect methods are not listed. The apparent accuracy of some of the figures given is the result of computation, either of oblique slip from strike slip and dip slip components or of conversion from English to metric units by the computer. Field measurements of displacement are only rarely given as closely as 0.1 foot or 0.01 meter, and lengths are generally given only to the nearest mile or kilometer. The values given in table 1 for length and displacement must be multiplied by the power of ten that is given as a final digit in each of these columns, i.e., "06" indicates that the decimal point must be moved 6 places to the right, and "-01" requires shifting of the decimal point 1 place to the left. Other comments on fault displacement are given in a later section of this report.

Absence of data is indicated by "0.0" in the columns for magnitude, length, and displacement.

The column labeled "REFERENCES" indicates the principal sources of the data in the table. The two- or three-letter reference code is keyed to the alphabetical list of references at the end of this report.

Table 1.-- SELECTED WORLDWIDE HISTORIC SURFACE FAULTING

| NO    | LOCATION                | FAULT        | DATE     | MAG  | L - METERS    | DISP - METERS | REFERENCES   |
|-------|-------------------------|--------------|----------|------|---------------|---------------|--------------|
| 12 E  | CALIFORNIA              | SAN ANDREAS  | 19060418 | 8.30 | 0.43452440 06 | 0.60960120 01 | LA,RC        |
| 14 A  | NEVADA, PLEASANT VALLEY |              | 19151002 | 7.60 | 0.48280490 05 | 0.45720090 01 | JJ,PB        |
| 15 C  | NEVADA, CEDAR MOUNTAIN  |              | 19321220 | 7.30 | 0.61155290 05 | 0.12192020 01 | GC           |
| 16 A  | NEVADA, EXCELSIOR MTS.  |              | 19360130 | 6.50 | 0.14484150 04 | 0.12192020 00 | CG           |
| 19 E  | CALIFORNIA, EL CENTRO   | IMPERIAL     | 19400518 | 7.10 | 0.66373990 05 | 0.57912110 01 | RC,UF        |
| 21 E  | CALIFORNIA, MANIX       |              | 19470410 | 6.40 | 0.16093500 04 | 0.76200150-01 | AS,RC        |
| 23 A  | CALIFORNIA, FORT SAGE   |              | 19501214 | 5.60 | 0.88514220 04 | 0.60960120 00 | GV           |
| 24 E  | CALIF., SUPERSTITION H. |              | 19510123 | 5.60 | 0.30000000 04 | 0.0           | AS,DT        |
| 25 B  | CALIFORNIA              | WHITE WOLF   | 19520721 | 7.70 | 0.53108540 05 | 0.12192020 01 | BS,DTS,RC,WC |
| 26 A  | NEVADA, RAINBOW MTN.    |              | 19560706 | 6.60 | 0.17702850 05 | 0.30480060 00 | TD           |
| 27 A  | NEVADA, RAINBOW MTN.    |              | 19560823 | 6.80 | 0.30577640 05 | 0.76200150 00 | TD           |
| 28 C  | NEVADA, FAIRVIEW PEAK   |              | 19541216 | 7.10 | 0.48280490 05 | 0.56997700 01 | RCD,SD,SH    |
| 29 A  | NEVADA, DIXIE VALLEY    |              | 19541216 | 6.80 | 0.61155290 05 | 0.21336040 01 | RCD,SD,SM    |
| 30 C  | MEXICO, BAJA CALIFORNIA | SAN MIGUEL   | 19560209 | 6.80 | 0.19312200 05 | 0.91440180 00 | SR           |
| 31 E  | ALASKA                  | FAIRWEATHER  | 19580710 | 8.00 | 0.20000000 06 | 0.65532130 01 | TDF          |
| 32 A  | MONTANA, HERGEN LAKE    |              | 19590817 | 7.10 | 0.24140250 05 | 0.60960120 01 | MH,MI        |
| 33 B  | ALASKA                  | PATTON BAY   | 19660422 | 8.40 | 0.62764640 05 | 0.79248160 01 | PG,PGM       |
| 35 E  | CALIFORNIA              | IMPERIAL     | 19660304 | 3.60 | 0.10000000 05 | 0.99999980-02 | BA           |
| 36 E  | CALIFORNIA, PARKFIELD   | SAN ANDREAS  | 19660600 | 5.50 | 0.37015040 05 | 0.17678430 00 | BV,WR        |
| 37 E  | CALIFORNIA, BORREGO MT. | COYOTE CREEK | 19680409 | 6.50 | 0.33000000 05 | 0.38000000 00 | AG           |
| 52 B  | ARGENTINA, SAN JUAN     |              | 19460115 | 7.80 | 0.70000000 04 | 0.60000000 00 | RC,HH,CA     |
| 53 D  | AUSTRALIA, MECKERING    |              | 19681014 | 7.00 | 0.37000000 05 | 0.30300000 01 | GE,EG        |
| 55 A  | BULGARIA, PARKFIELD     |              | 19280414 | 6.80 | 0.47000000 05 | 0.50000000 00 | RC,88,KV     |
| 56 A  | BULGARIA, CHIRPAN       |              | 19280418 | 7.00 | 0.29000000 05 | 0.35000000 01 | RC,88,KV     |
| 64 A  | GREECE, CORINTH         |              | 18611226 | 0.0  | 0.13000000 05 | 0.20000000 01 | SJ,RC,MF     |
| 65 A  | GREECE, LOCRIS          |              | 18960427 | 0.0  | 0.59000000 05 | 0.20000000 01 | ST,RC,MF     |
| 69 A  | INDIA, CUTCH            |              | 18190616 | 0.0  | 0.12874790 06 | 0.91440180 01 | LC,ORC,DC    |
| 70 A  | INDIA, ASSAM            | CHEDRANG     | 18970612 | 8.70 | 0.19312200 05 | 0.10668020 02 | OR,RC        |
| 72 B  | IRAN, BUYIN-ZARA        | IPAK         | 19620901 | 7.20 | 0.10299840 06 | 0.76200150 00 | ANB,ANI,ON   |
| 73 E  | IRAN, DASHT-E BAYAZ     |              | 19680831 | 7.30 | 0.69000000 05 | 0.45000000 01 | ATD,ATI      |
| 74 B  | JAPAN, ZENKOJI          |              | 18470508 | 0.0  | 0.30000000 05 | 0.24000000 01 | MH,IK        |
| 75 C  | JAPAN, MIND-OHARI       | NEO-DANI     | 18911028 | 0.0  | 0.11200000 06 | 0.60000000 01 | KB           |
| 77 A  | JAPAN, RIKU-U           | SENDAI       | 18960813 | 0.0  | 0.60000000 05 | 0.30000000 01 | YN           |
| 81 E  | JAPAN, TANGO            | GOMURA       | 19270307 | 8.00 | 0.18000000 05 | 0.30000000 01 | VT,RC        |
| 83 C  | JAPAN, IOU              | TANNA        | 19301125 | 7.10 | 0.30000000 05 | 0.35999990 01 | KS,OY,II,GR  |
| 84 E  | JAPAN, TOTTORI          | SHIKANO      | 19430910 | 7.40 | 0.80000000 04 | 0.15000000 01 | DS,TH,RC,SMA |
| 86 B  | JAPAN, MIKAWA           | FUKUZU       | 19450113 | 7.10 | 0.90000000 04 | 0.20000000 01 | THF,RG       |
| 88 A  | JAPAN, TESIKAGA         |              | 19590131 | 6.20 | 0.20000000 04 | 0.99999960-01 | MT           |
| 89 A  | JAPAN, NIIGATA          |              | 19660616 | 7.50 | 0.20000000 05 | 0.55000000 01 | KH,MI        |
| 91 A  | KENYA, SUBIGIA          |              | 19280106 | 7.10 | 0.28968300 05 | 0.33528070 01 | RC,WB,AT,MG  |
| 92 A  | MONGOLIA, GURBAN SAIKAN | TSETSERLEG   | 19030000 | 0.0  | 0.15000000 05 | 0.30000000 01 | FS           |
| 93 C  | MONGOLIA                | KHANGAI      | 19050709 | 8.40 | 0.11500000 06 | 0.0           | FS,RC        |
| 94 E  | MONGOLIA                | BOGDO        | 19050723 | 8.70 | 0.35000000 06 | 0.0           | FS,RC        |
| 95 E  | MONGOLIA, GOBI ALTAI    |              | 19571204 | 8.30 | 0.26500000 06 | 0.88499990 01 | FS,DS        |
| 97 E  | NEW ZEALAND             | AWATERE      | 18481019 | 0.0  | 0.96560940 05 | 0.60960120 01 | MA,LC,LG     |
| 98 A  | NEW ZEALAND, WELLINGTON | WAIARAPA     | 18550123 | 0.0  | 0.13357600 06 | 0.30480060 01 | LC,OMW       |
| 101 E | NEW ZEALAND, MELLINGTON | HOPE         | 18880901 | 0.0  | 0.25749600 05 | 0.25908050 01 | HJ,MAN       |
| 104 B | NEW ZEALAND, AMURI      | WHITE CREEK  | 19290617 | 7.80 | 0.11265450 05 | 0.44803690 01 | HJN,BL,RC    |
| 105 B | NEW ZEALAND, M. NELSON  |              | 19310203 | 7.90 | 0.96560980 04 | 0.0           | HJH,RC       |
| 106 C | NEW ZEALAND, HAWKES BAY |              | 19320916 | 6.80 | 0.15240030 01 | 0.0           | OHM,RC       |



Table 1.--SELECTED WORLDWIDE HISTORIC SURFACE FAULTING -- CONTINUED

| NO    | LOCATION               | FAULT      | DATE     | MAG  | L - METERS   | DISP - METERS | REFERENCES      |
|-------|------------------------|------------|----------|------|--------------|---------------|-----------------|
| 108 D | NEW ZEALAND, INANGAHUA |            | 19680523 | 7.10 | 0.1000000 04 | 0.4100000 00  | LS,AL           |
| 110 A | PERU, ANCASH           | QUICHES    | 19461110 | 7.40 | 0.2000000 05 | 0.3500000 01  | SE,RC           |
| 112 B | PERU, PARIAMUANCA      |            | 19690724 | 5.70 | 0.0          | 0.4000000 00  | DEP,SSA,DE      |
| 113 U | PERU, PARIAMUANCA      |            | 19691001 | 6.20 | 0.1600000 05 | 0.1400000 01  | DEP,SSA,DE      |
| 120 E | SUDAN, JEBEL DUMBEIR   |            | 19661009 | 5.10 | 0.6000000 04 | 0.0           | QS              |
| 122 C | TAIWAN                 | MEITZUKENG | 19060317 | 7.10 | 0.1100000 05 | 0.2712725 01  | DF,IK,BC        |
| 123 B | TAIWAN                 | CHIHU      | 19350421 | 0.0  | 0.1500000 05 | 0.3000000 01  | ER,RC,BC        |
| 124 E | TAIWAN                 | TUNTZUCHIO | 19350421 | 0.0  | 0.1200000 05 | 0.1500000 01  | ER,RC,BC        |
| 125 E | TAIWAN                 | SHHUA      | 19461205 | 0.0  | 0.6000000 04 | 0.2000000 01  | CC              |
| 126 U | TAIWAN                 | MEILUN     | 19511022 | 7.10 | 0.7000000 04 | 0.2299999 01  | HT,HTL,GR,CK,BC |
| 127 D | TAIWAN                 | YULI       | 19511125 | 7.30 | 0.4000000 05 | 0.2080000 01  | HT,HTL,BC       |
| 130 E | TURKEY                 | ANATOLIA   | 19391227 | 8.00 | 0.3400000 06 | 0.3700000 01  | PA,RC           |
| 131 E | TURKEY                 | ANATOLIA   | 19421220 | 7.30 | 0.5000000 05 | 0.1750000 01  | RC,BP,PH        |
| 132 C | TURKEY                 | ANATOLIA   | 19431126 | 7.60 | 0.2800000 06 | 0.1500000 01  | KIE,RC,KIA,KIT  |
| 133 E | TURKEY                 | ANATOLIA   | 19440201 | 7.60 | 0.1800000 06 | 0.3500000 01  | KIE,KR,KIT      |
| 134 E | TURKEY, VENICE-GOMEN   |            | 19530318 | 7.20 | 0.5800000 05 | 0.4299999 01  | KR,DM,PN,RC     |
| 137 E | TURKEY, ABANT          | ANATOLIA   | 19570526 | 7.10 | 0.4000000 05 | 0.1599999 01  | KIA,AZ,OM       |
| 139 E | TURKEY, MUDURNU VALLEY | ANATOLIA   | 19670722 | 7.10 | 0.5400000 05 | 0.1900000 01  | AZ              |

### Designation of the main fault

In most fault-events, one surface fault clearly predominates in terms of length, displacement, and continuity and can be designated the main fault without ambiguity (Bonilla, 1967, p. 5; 1970, p. 54-55). In some events however, many small faults of nearly equal importance occur, and in others two faults of similar importance may predominate over the other faults. When two faults of similar length, displacement, and continuity were reported in one event, the following criteria, in approximate order of decreasing importance, were used as guides in designating the main fault:

- a) Rupture occurred on recognized (or recognizable) prequake fault
- b) The greater  $LxD^2$  (L, length; D, maximum displacement; both in same units)
- c) Geodetic survey results, with consideration of age of surveys in relation to the faulting
- d) Location of epicenter(s), with consideration of accuracy of location
- e) Isoseismal lines

Criterion "a" was adopted because evaluation of the suitability of a reactor site with regard to seismic hazards generally involves an appraisal of the probable behavior of the most important recognizable fault in the vicinity of the site. The use of criterion "a" to help choose between two nearly-equal faults thus is intended to make the results of this study more applicable to the practical problem of evaluating seismic risk, especially from subsidiary faulting.

Criterion "b", following the usage of King and Knopoff (1968), was adopted early in the study as the best indication that can be obtained, from simple field measurements of fault displacement and length, of the magnitude of the associated earthquake and hence the "importance" of the fault. The data obtained as this study progressed confirmed the rather good correlation reported by King and Knopoff (1968) between magnitude and length times square of displacement (see table 3, fig. 4, and p. 17, this report).

Despite the use of the criteria listed above, a clear choice could not be made on designation of the main fault for the 1935 Taiwan event. The two prominent faults are both included so that their length-displacement data could be used, but the earthquake magnitude was omitted so that neither of these ruptures would be included in relations involving earthquake magnitude.

#### Fault types

For the purposes of this report the faulting has been divided into 5 principal types, designated by letters A through E, based on the relative importance and sense of the strike-slip and dip-slip components of displacement. These 5 types are a grouping of the 12 fault types shown on figure 1. Figure 1 represents the plane of a fault dipping toward the observer. If a point originally at the center of the circle and on the far side of the fault is displaced by faulting to the rim of the circle, the indicated types of faults would be produced. The movement of the point generates a radial line that makes an angle (measured in the plane of the fault) with the horizontal line that represents the strike of the fault; this angle, called  $\phi$ , can be measured on striations in the fault surface, or it can be calculated from the relative values of the strike slip (SS) and dip slip (DS):  $SS/DS = \cotangent \phi$ . The radii that mark the boundaries between fault types make angles of  $30^\circ$ ,  $60^\circ$ , and  $90^\circ$  above or below the horizontal line (see fig. 1). The value of the cotangent of  $\phi$  combined with the normal or reverse sense of displacement gives the 5 types of faults, as shown on table 2.




Figure 1. FAULT TYPES

Table 2. Classification of fault types used in this report

| Fault type             | Angle $\phi$ ,<br>degrees | Cotangent<br>of $\phi$ | Movement of<br>hanging wall |
|------------------------|---------------------------|------------------------|-----------------------------|
| A Normal slip          | 90 to 60                  | 0 to 0.577             | Down*                       |
| B Reverse slip         | 90 to 60                  | 0 to 0.577             | Up                          |
| C Normal oblique slip  | <60 to 30                 | >0.577 to 1.732        | Down*                       |
| D Reverse oblique slip | <60 to 30                 | >0.577 to 1.732        | Up                          |
| E Strike slip          | <30                       | >1.732                 | -                           |

\*If the fault surface was reported as vertical or nearly vertical, vertical slip was treated as normal slip unless strong evidence of compression was found, in which case it was treated as reverse slip.

The limits adopted give equal weight to all 12 fault types shown on figure 1. Whether the limits for oblique-slip faults shown on figure 1 and in table 2 fits the usage of others is not known to the writers, as they found no limits given in several text books that were consulted.

In applying the criteria for fault type, the predominant characteristics of the fault over most of its length were used, whenever possible, rather than the characteristics at one point. For example, a north-south fault on which the cotangent of  $\phi$  was 0.8 at one point but 1.8 at most other points, and the relatively downdropped side alternated from east to west along its length, would be classified as strike slip.

The fault types are designated by the letters A through E near the left side of table 1.

### Fault displacement

The displacement (abbreviated "DISP" on table 1) is the maximum reported for each event. For strike-slip, normal-slip, and reverse-slip faults the largest strike-slip or dip-slip component was used. For oblique-slip faults the largest resultant of the combined strike-slip and dip-slip components at a single point was used, if sufficient data were available; otherwise the largest strike-slip or dip-slip component was used.

### Relations between fault parameters

The relations between fault length and displacement and earthquake magnitude are plotted on figures 2 through 5, and equations for the best straight-line representation for these relations are given in table 3.

The fault numbers that identify the data points on figures 2 through 5 are the same as in table 1 and thus indicate the geographic location as well as the type of fault represented.

Table 3 lists 75 equations by giving the coefficients a and b in equations of the form  $y = a+bx$  ; these were derived by the method of least squares. Length and displacement are in meters in all equations. The equations are given for groupings of various sets of faults, the first three sets being geographic and the remaining 12 being by fault type. The reliability of each of the equations can be judged by the number of data points in each set, by the standard deviation, and by the correlation coefficient (a measure of the goodness of fit of the least-square line), which are also given in table 3.

Table 3.--EQUATIONS FOR LINES OF BEST FIT

3.1 Magnitude vs Displacement:  $\text{Log } D = a+bM$  (see fig. 2)

| Fault set | Number in set | a      | b     | Standard deviation | Correlation coefficient |
|-----------|---------------|--------|-------|--------------------|-------------------------|
| 1-49      | 19            | -4.211 | 0.616 | 0.413              | 0.848                   |
| 50-140    | 31            | -3.123 | 0.471 | 0.317              | 0.655                   |
| 1-140     | 50            | -3.916 | 0.578 | 0.362              | 0.799                   |
| A         | 14            | -4.660 | 0.689 | 0.408              | 0.761                   |
| B         | 7             | -2.703 | 0.389 | 0.310              | 0.705                   |
| C         | 7             | -0.167 | 0.066 | 0.261              | 0.065                   |
| D         | 5             | -0.111 | 0.042 | 0.304              | 0.053                   |
| E         | 17            | -4.334 | 0.633 | 0.305              | 0.918                   |
| A+C       | 21            | -4.399 | 0.655 | 0.378              | 0.715                   |
| B+D       | 12            | -2.003 | 0.302 | 0.327              | 0.538                   |
| C+D+E     | 29            | -4.049 | 0.600 | 0.323              | 0.854                   |
| C+D       | 12            | -0.427 | 0.097 | 0.285              | 0.110                   |
| B+E       | 24            | -4.021 | 0.582 | 0.329              | 0.879                   |
| A+C+E     | 38            | -4.310 | 0.637 | 0.350              | 0.845                   |
| B+D+E     | 29            | -3.847 | 0.562 | 0.341              | 0.847                   |

3.2 Magnitude vs length:  $\text{Log } L = a+bM$  (see fig. 3)

| Fault set | Number in set | a      | b      | Standard deviation | Correlation coefficient |
|-----------|---------------|--------|--------|--------------------|-------------------------|
| 1-49      | 20            | 2.092  | 0.344  | 0.485              | 0.609                   |
| 50-140    | 33            | -1.513 | 0.401  | 0.533              | 0.465                   |
| 1-140     | 53            | -2.036 | 0.338  | 0.523              | 0.506                   |
| A         | 14            | 2.308  | 0.277  | 0.420              | 0.418                   |
| B         | 7             | 3.900  | 0.056  | 0.448              | 0.051                   |
| C         | 7             | 0.196  | 0.611  | 0.323              | 0.677                   |
| D         | 5             | 4.849  | -0.116 | 0.588              | -0.075                  |
| E         | 20            | 1.915  | 0.389  | 0.492              | 0.695                   |
| A+C       | 21            | 1.545  | 0.401  | 0.423              | 0.528                   |
| B+D       | 12            | 2.905  | 0.177  | 0.524              | 0.181                   |
| C+D+E     | 32            | 1.765  | 0.395  | 0.527              | 0.606                   |
| C+D       | 12            | 0.208  | 0.586  | 0.524              | 0.479                   |
| B+E       | 27            | 2.290  | 0.316  | 0.541              | 0.546                   |
| A+C+E     | 41            | 1.799  | 0.384  | 0.480              | 0.616                   |
| B+D+E     | 32            | 2.192  | 0.320  | 0.575              | 0.501                   |

Table 3. (Continued)

3.3 Magnitude vs Length times Displacement:  $\text{Log LD} = a+bM$

| Fault set | Number in set | a      | b      | Standard deviation | Correlation coefficient |
|-----------|---------------|--------|--------|--------------------|-------------------------|
| 1-49      | 19            | -1.882 | 0.930  | 0.779              | 0.788                   |
| 50-140    | 29            | -1.681 | 0.880  | 0.724              | 0.534                   |
| 1-140     | 48            | -1.695 | 0.890  | 0.750              | 0.699                   |
| A         | 14            | -2.352 | 0.967  | 0.742              | 0.672                   |
| B         | 6             | -5.183 | 0.675  | 0.560              | 0.461                   |
| C         | 6             | -5.855 | 1.507  | 0.322              | 0.750                   |
| D         | 5             | 4.738  | -0.073 | 0.868              | -0.032                  |
| E         | 17            | -1.871 | 0.950  | 0.719              | 0.828                   |
| A+C       | 20            | -2.705 | 1.033  | 0.670              | 0.681                   |
| B+D       | 11            | 0.975  | 0.475  | 0.735              | 0.333                   |
| C+D+E     | 28            | -1.898 | 0.941  | 0.733              | 0.755                   |
| C+D       | 11            | -0.706 | 0.754  | 0.733              | 0.324                   |
| B+E       | 23            | -1.405 | 0.858  | 0.752              | 0.758                   |
| A+C+E     | 37            | -2.191 | 0.976  | 0.704              | 0.773                   |
| B+D+E     | 28            | -1.386 | 0.848  | 0.799              | 0.708                   |

3.4 Magnitude vs Length times square of Displacement:  $\text{Log LD}^2 = a+bM$  (see fig. 4)

| Fault set | Number in set | a      | b      | Standard deviation | Correlation coefficient |
|-----------|---------------|--------|--------|--------------------|-------------------------|
| 1-49      | 19            | -6.094 | 1.546  | 1.152              | 0.821                   |
| 50-140    | 29            | -4.912 | 1.366  | 0.985              | 0.585                   |
| 1-140     | 48            | -5.701 | 1.479  | 1.057              | 0.755                   |
| A         | 14            | -7.013 | 1.656  | 1.122              | 0.717                   |
| B         | 6             | -4.410 | 1.218  | 0.796              | 0.550                   |
| C         | 6             | -5.236 | 1.466  | 0.552              | 0.541                   |
| D         | 5             | 4.626  | -0.030 | 1.161              | -0.010                  |
| E         | 17            | -6.206 | 1.583  | 0.984              | 0.874                   |
| A+C       | 20            | -7.140 | 1.692  | 1.005              | 0.713                   |
| B+D       | 11            | -0.577 | 0.718  | 1.010              | 0.362                   |
| C+D+E     | 28            | -5.966 | 1.544  | 0.994              | 0.812                   |
| C+D       | 11            | -1.054 | 0.840  | 0.977              | 0.275                   |
| B+E       | 23            | -5.580 | 1.461  | 1.033              | 0.821                   |
| A+C+E     | 37            | -6.517 | 1.614  | 1.000              | 0.818                   |
| B+D+E     | 28            | -5.347 | 1.425  | 1.085              | 0.778                   |



Table 3. (Continued)

3.5 Displacement vs Length:  $\log D = a + b \log L$  (see fig. 5)

| Fault set | Number<br>in set | a      | b     | Standard<br>deviation | Correlation<br>coefficient |
|-----------|------------------|--------|-------|-----------------------|----------------------------|
| 1-49      | 19               | -4.264 | 0.951 | 0.545                 | 0.715                      |
| 50-140    | 42               | -1.190 | 0.350 | 0.319                 | 0.510                      |
| 1-140     | 61               | -2.239 | 0.558 | 0.469                 | 0.552                      |
| A         | 20               | -3.136 | 0.774 | 0.420                 | 0.668                      |
| B         | 8                | 0.151  | 0.035 | 0.355                 | 0.040                      |
| C         | 7                | 0.197  | 0.041 | 0.300                 | 0.060                      |
| D         | 5                | -1.640 | 0.451 | 0.149                 | 0.872                      |
| E         | 21               | -3.266 | 0.751 | 0.545                 | 0.641                      |
| A+C       | 27               | -2.391 | 0.601 | 0.418                 | 0.578                      |
| B+D       | 13               | -0.936 | 0.281 | 0.310                 | 0.420                      |
| C+D+E     | 33               | -2.288 | 0.556 | 0.494                 | 0.567                      |
| C+D       | 12               | -0.966 | 0.287 | 0.269                 | 0.536                      |
| B+E       | 29               | -2.528 | 0.606 | 0.531                 | 0.544                      |
| A+C+E     | 48               | -2.709 | 0.654 | 0.489                 | 0.594                      |
| B+D+E     | 34               | -2.181 | 0.537 | 0.502                 | 0.541                      |

### Magnitude related to displacement

The plot of the relation between maximum surface displacement and earthquake magnitude (figure 2) shows less scatter of the data points than any of the other graphs. This is evident from visual comparison of the graphs and is supported by the correlation coefficients, listed in table 3.1, which are generally higher for this relation than for the others. The correlation between displacement and magnitude is especially good for strike-slip faults and the correlation coefficient for them is the highest of the 75 listed in table 3. Chinnery (1969) also found a high correlation between displacement and magnitude for strike-slip faulting.

For the historic faulting included in this report, the lines of best fit for strike-slip faults, normal-slip faults, all fault types in North America (set 1-49), and all fault types in the world (set 1-140) are very similar, as can be seen on figure 2. The line for reverse-slip faults is conspicuously different from the others, perhaps because of the small number of examples (7) in the set.

### Magnitude related to length

The relation between length of surface rupture and magnitude of the associated earthquake is shown in table 3.2 and on figure 3. The correlation is a poor one as shown by the scatter of points and the low correlation coefficients, the highest of which is less than 0.7. These low correlation coefficients indicate that only 49 percent ( $0.7 \times 0.7 \times 100$ ) or less of the variation in logarithm of fault length may be accounted for by the variation in the earthquake magnitude (Freund and Williams, 1958, p. 315).




Figure 2. MAXIMUM SURFACE DISPLACEMENT ON MAIN FAULT AS RELATED TO EARTHQUAKE MAGNITUDE




Figure 3. LENGTH OF SURFACE RUPTURE ON MAIN FAULT AS RELATED TO EARTHQUAKE MAGNITUDE

### Magnitude related to $LD^2$

The relation of magnitude to the product of length and the square of displacement, recently studied by King and Knopff (1968), is given in table 3.4 and shown on figure 4. The correlation coefficients generally are moderately high, approaching those obtained for the relation between magnitude and displacement. Although the line for reverse-slip faults is drawn on figure 4, it must be used with caution inasmuch as the correlation coefficient is only 0.55.

### Displacement related to length

A poor correlation exists between the maximum surface displacement and the length of surface rupture. This is illustrated by the scatter of points on figure 5, and is indicated by the generally low correlation coefficients listed in table 3.5. Of the lines drawn on figure 5, only that representing North America has a correlation coefficient greater than 0.7. The wide scatter of points should be kept in mind if any of these lines are used.

### Variations of fault parameters by type of fault

One of the aims of this study is to learn whether the relations among fault length, displacement, and associated earthquake magnitude differ according to the type of faulting that occurs. Although an analysis of this aspect of the data is still very incomplete, a few contrasts and similarities were noted and are given below without attempting, at present, to evaluate their significance or possible causes.

For 4 of the 5 relations listed in table 3, the strike-slip faults (set E) display the most consistent groupings, as judged by the correlation coefficient. The one exception is for the relation between displacement

and length, in which the reverse-oblique slip faults (set D) have the highest correlation coefficient. The line for strike-slip faults has a steeper slope (constant "b") and a lower value of the constant "a" than the line for all faults (set 1-140) on all of the graphs.

The normal-slip faults (set A) have a moderate to low correlation coefficient on all plots, with values ranging from 0.761 to 0.418. The slope of the line for normal-slip faults is greater than, and the "a" values are less than, the line for all faults (set 1-140) on all plots except figure 3 (magnitude related to length).

Owing to the small number of examples and the scatter of the points for reverse slip (set B), normal oblique slip (set C), and reverse oblique slip (set D) faults, little can be said about them. Most of the correlation coefficients are very low and some of the lines of best fit for set D even have a negative slope, indicating an inverse correlation. Nevertheless, the slope of the line for reverse faults (set B) is consistently lower than for all faults (set 1-140), and the "a" values, with one exception, are greater than for all faults; these relations are opposite to those for normal faults.




Figure 4. RELATION OF EARTHQUAKE MAGNITUDE TO SURFACE LENGTH TIMES SQUARE OF SURFACE DISPLACEMENT




Figure 5. MAXIMUM SURFACE DISPLACEMENT AS RELATED TO LENGTH OF SURFACE RUPTURE ON MAIN FAULT



References cited

- AL Adams, R. D., and Lowry, M. A., 1970, The Inangahua earthquake sequence, 1968 [abs.]: Internat. Symposium on Recent Crustal Movements and Associated Seismicity, Wellington, New Zealand, 1970 Abstracts of papers, p. 1.
- AG Allen, C. R., Grantz, Arthur, Brune, J. N., Clark, M. M., Sharp, R. V., Theodore, T. G., Wolfe, E. W., and Wyss, M., 1968, The Borrego Mountain, California, earthquake of 9 April 1968--a preliminary report: Seismol. Soc. America Bull., v. 58, no. 3, p. 1183-1186.
- AS Allen, C. R., St. Amand, Pierre, Richter, C. F., and Nordquist, J. M., 1965, Relationship between seismicity and geologic structure in the southern California region: Seismol. Soc. America Bull., v. 55, no. 4, p. 753-797.
- ANB Ambraseys, N. N., 1963, The Buyin-Zara (Iran) earthquake of September 1962--a field report: Seismol. Soc. America Bull., v. 53, no. 4, p. 705-740.
- ANI \_\_\_\_\_ 1965, An earthquake engineering study of the Buyin-Zahra earthquake of September 1, 1962, in Iran: World Conf. Earthquake Eng., 3d, New Zealand 1965, Proc., v. 3, p. V7-V26.
- AT Ambraseys, N. N., and Tchalenko, J., 1968, Documentation of faulting associated with earthquakes (Part I): UP Progress Report, June 1968 (unpublished).
- ATD \_\_\_\_\_ 1968 Dashti Biaz, Iran, earthquake of August 1968: Nature, v. 220, p. 903-904.

- ATI Ambraseys, N. N., and Tchalenko, J. S., 1969, The Dasht-e Bayāz (Iran) earthquake of August 31, 1968: A field report: Seismol. Soc. America Bull., v. 59, no. 5, p. 1751-1792.
- AZ Ambraseys, N. N., and Zatopek, A., 1969, The Mudurnu Valley, West Anatolia, Turkey, earthquake of 22 July 1967: Seismol. Soc. America Bull., v. 59, no. 2, p. 521-589.
- BL Bastings, L., 1933, Some seismological aspects of the Buller earthquake, 1929, June 16-17: New Zealand Jour. Sci. Technology, v. 15, p. 128-142.
- BC Biq Chingchang, 1970, Letter from Biq Chingchang, Geological Survey of Taiwan, to M. G. Bonilla, dated 20 May, 1970.
- BP Blumenthal, M. M., Pamir, H. N., and Akyol, I. H., 1943, Zur geologie der landstrecken der erdbeben von ende 1942 in nord-Anatolien und dortselbst ausgeführte makroseismische Beobachtungen (Osmancik-Erbaa): Maden Tetkik ve Arama Enstitusu, Ankara, sene 8, sayi 1/29, p. 33-58.
- BB Bonchev, Stefan, and Bakalov, P., 1928, Les tremblements de terre dans la Bulgarie du Sud les 14 et 18 avril 1928: Bulgarian Geol. Soc. Review, v. 1, no. 2, p. 58-63.
- BMU Bonilla, M. G., 1967, Historic surface faulting in continental United States and adjacent parts of Mexico: U.S. Geol. Survey open-file report, 36 p; also U.S. Atomic Energy Comm. Rept. TID-24124, 36 p.
- BMF Bonilla, M. G., 1970, Surface faulting and related effects, Chap. 3 in Wiegand, R. L., ed., Earthquake Engineering: Englewood Cliffs, N.J., Prentice-Hall, p. 47-74.

- BV Brown, R. D., Jr., and Vedder, J. G., 1967, Surface tectonic fractures along the San Andreas fault, California, in Brown, R. D., Jr., and others, The Parkfield-Cholame, California, earthquakes of June-August 1966--Surface geologic effects, water-resources aspects, and preliminary seismic data: U.S. Geol. Survey Prof. Paper 579, p. 2-23.
- BA Brune, J. N., and Allen, C. R., 1967, A low-stress-drop, low-magnitude earthquake with surface faulting--The Imperial, California, earthquake of March 4, 1966: Seismol. Soc. America Bull., v. 57, no. 3, p. 501-514.
- BS Buwalda, J. P., and St. Amand, Pierre, 1955, Geological effects of the Arvin-Tehachapi earthquake: California Div. Mines Bull. 171, p. 41-56.
- CG Callaghan, Eugene, and Gianella, V. P., 1935, The earthquake of January 30, 1934, at Excelsior Mountains, Nevada: Seismol. Soc. America Bull., v. 25, no. 2, p. 161-168.
- CA Castellanos, A., 1945, El terremoto de San Juan: Assoc. cultural de conferencias de Rosario, Ciclo de caracter general, 1944, Publ. no. 6, part B, p. 76-242.
- CC Chang, Li-Sho, Chow, Minchen, and Chen, Pei-Yuan, 1947, The Tainan earthquake of December 5, 1946: Taiwan Geol. Surv. Bull., no. 1, p. 17-20.
- CK Cheng, Ke-Chieh, 1960, Report on the 1951 earthquake in Taiwan: World Conf. Earthquake Eng., 2nd, Japan, 1960, Proc., v. 1, p. 397-408.
- CM Chinnery, M. A., 1969, Earthquake magnitude and source parameters: Seismol. Soc. America Bull., v. 59, no. 5, p. 1969-1982.

- DC Davison, Charles, 1936, Great earthquakes: London, Murby, 286 p.
- DEP Deza M. Ernesto, 1970, The Pariahunaca's earthquakes, Huancayo, Peru, July-October, 1969, Preliminary report [abs.]: Internat. Symposium On Recent Crustal Movements and Associated Seismicity, Wellington, New Zealand, 1970, Abstracts of papers.
- DE \_\_\_\_\_ 1970, Oral communication to M. G. Bonilla, February, 1970.
- DT Dibblee, T. W., Jr., 1954, Geology of the Imperial Valley region, California, [Pt. 2] in Chap. 2 of Jahns, R. H., ed., Geology of southern California: California Div. Mines Bull. 170, p. 21-28.
- DTS \_\_\_\_\_ 1955, Geology of the southeastern margin of the San Joaquin Valley, California: California Div. Mines Bull. 171, p. 23-34.
- DH Dilgan, Hamit, and Hagiwara, Takahiro, 1956, Le tremblement de terre de Yenice (18 Mars 1953): Assoc. de Seismologie et de Physique de l'Interieur de la Terre, Publ. Bur. Central Seismologique Internat. Ser. A, v. 19, p. 287-295.
- DS Duda, S. J., 1965, Secular seismic energy release in the circum-Pacific belt: Tectonophysics, v. 2, no. 5, p. 409-452.
- ER Earthquake Research Institute, 1936, Papers and reports on the Formosa earthquake of 1935: Tokyo Univ., Earthquake Res. Inst. Bull., Supp. Vol. III, 238 p.
- EG Everingham, I. B., Gregson, P. J., and Doyle, H. A., 1969, Thrust fault scarp in the Western Australian shield: Nature, v. 223, no. 5207, p. 701-703.
- FW Freund, J. E., and Williams, F. J., 1958, Modern business statistics: Englewood Cliffs, N. J., Prentice-Hall, 539, p.
-

- FS Florensov, N. A., and Solonenko, V. P., eds., 1963, Gobi-Altayskoye zemletryasenie: Izdatel. Akad. Nauk SSSR, 391 p.; also 1965, The Gobi-Altai earthquake: U.S. Dept. Commerce, 424 p.
- GV Gianella, V. P., 1957, Earthquake and faulting, Fort Sage Mountains, California, December 1950: Seismol. Soc. America Bull., v. 47, no. 3, p. 173-177.
- GC Gianella, V. P., and Callaghan, Eugene, 1934, The Cedar Mountain, Nevada, earthquake of December 20, 1932: Seismol. Soc. America Bull., v. 24, no. 4, p. 345-384.
- GE Gordon, F. R., 1970, Thrusting at Meckering, Western Australia, 14 October, 1968 [abs.]: Internat. Symposium on Recent Crustal Movements and Associated Seismicity, Wellington, New Zealand, 1970, Abstracts of papers, p. 13-14.
- GR Gutenberg, Beno, and Richter, C. F., 1954, Seismicity of the earth and associated phenomena: Princeton, N.J., Princeton University Press, 310 p.
- HH Harrington, H. J., 1945, El sismo de San Juan del 15 de enero de 1944: Ciencias e Investigaciones, Buenos Aires, v. 1, no. 1, p. 3-5.
- HJH Henderson, J., 1933, The geological aspects of the Hawke's Bay earthquakes [New Zealand]: New Zealand Jour. Sci. Technology, v. 15, no. 1, p. 38-75.
- HJN Henderson, John, 1937, The West Nelson earthquakes of 1929: New Zealand Jour. Sci. Technology, v. 19, no. 2, p. 65-144.
- HJ \_\_\_\_\_ 1943, Earthquake risk in New Zealand: New Zealand Jour. Sci. Technology, v. 24, no. 5B, p. 195B-219B.

- HT Hsu, T. L., 1955, The earthquakes of Taiwan: Bank of Taiwan Quart. Jour., v. 7, no. 2, p. 148-164.
- HTL Hsu, T. L., 1962, Recent faulting in the Longitudinal Valley of eastern Taiwan: Geol. Soc. China Mem. no. 1, p. 95-102.
- II Ihara, Keninosuke, and Ishii, Kiyohiko, 1932, The earthquake of northern Izu: Japan Geol. Survey, Rept. 112, p. 1-7.
- IK Iida, Kumizi, 1959, Earthquake energy and earthquake fault: Nagoya Univ., Jour. Earth Sci., v. 7, no. 2, p. 98-107.
- IKM \_\_\_\_\_ 1965, Earthquake magnitude, earthquake fault, and source dimensions: Nagoya Univ., Jour. Earth Sci., v. 13, no. 2, p. 115-132.
- JJ Jones, J. C., 1915, The Pleasant Valley, Nevada, earthquake of October 2, 1915: Seismol. Soc. America Bull., v. 5, no. 4, p. 190-205.
- KH Kamata, Seikichi, Hosono, Takeo, Ito, Kosuke, and Hayakawa, Masami, 1966, A study on the geologic structures by sonic exploration around the epicenter of the Niigata earthquake, in Report of the Geological Survey on the Niigata earthquake: Japan Geol. Survey, Spec. Rept. No. 3, p. 32-42.
- KV Karnik, Vit, 1968, Seismicity of the European area, Part I: Prague, Academia (Czechoslovak Acad. of Sci.), 364 p.
- KIE Ketin, Ihsan, 1948, Über die tektonisch-mechanischen Folgerungen aus den grossen anatolischen erdbeben des letzten Dezenniums: Geol. Rundschau, v. 36, p. 77-83.
- KIA \_\_\_\_\_ 1957, Kuzey Anadolu Deprem Fayi: Istanbul Tektik Universitesi Dergisi, v. 15, no. 2, p. 49-52.
- KIT Ketin, Ihsan, 1968, Relations between general tectonic features and the main earthquake regions of Turkey: Turkey, Inst. Mineral Res. and Explor., Bull. (Foreign Ed.) no. 71 (Oct. 1968) p. 63-67.

- KR Ketin, Ihsan, and Roesli, F., 1953, Makroseismische Untersuchungen über das nordwestanatolische Beben vom 18 März 1953: *Eclogae Geologicae Helvetiae*, v. 46, no. 2, p. 187-208.
- KK King, Chi-Yu, and Knopoff, Leon, 1968, Stress drop in earthquakes: *Seismol. Soc. America Bull.*, v. 58, no. 1, p. 249-257.
- KB Kotō, Bundjiro, 1893, On the cause of the great earthquake in central Japan, 1891: *Imp. Univ. Japan Jour. Coll. Sci.*, v. 5, part 4, p. 296-353.
- KS Kunitomi, S. I., 1931, Notes on the North Idu earthquake of Nov. 26, 1930: *Tokyo Geophys. Mag.*, v. 4, p. 73-102.
- LA Lawson, A. C., and others, 1908, The California earthquake of April 18, 1906--Report of the State Earthquake Investigation Commission: *Carnegie Inst. Washington Pub.* 87, v. 1, pt. 1, p. 1-254; pt. 2, p. 255-451.
- LG Lensen, G. J., 1968, Analysis of progressive fault displacement during downcutting of the Branch River terraces, South Island, New Zealand: *Geol. Soc. America Bull.*, v. 79, p. 545-556.
- LS Lensen, G. J., and Suggate, R. P., 1968, Inangahua Earthquake-Preliminary account of the geology in Preliminary reports on the Inangahua earthquake, New Zealand, May 1968: *New Zealand Dept. Sci. and Indus. Res., Bull.* 193, p. 17-36.
- LC Lyell, Sir Charles, 1874, *Principles of geology*, Vol. II: New York, D. Appleton and Co., 652 p.
- MT Matumoto, Tosimatsu, 1959, Tesikaga earthquake of Jan. 31, 1959: *Tokyo Univ., Earthquake Res. Inst.*, v. 37, pt. 3, p. 531-544.

- MG McCall, G. J. H., 1967, Geology of the Nakuru-Thomson's Falls-Lake Hannington area; Kenya Geol. Survey, Rept. 78, 122 p.
- MA McKay, Alexander, 1886, Reports of the geological survey, 1885: New Zealand Colonial Museum and Geol. Survey, Rept. no. 17, p. 27-136.
- MAN \_\_\_\_\_ 1902, Report on the recent seismic disturbances within Cheviot County in northern Canterbury and the Amuri District of Nelson; New Zealand: Wellington, Government Printer, 80 p.
- MF Montessus de Ballore, Fernand, 1924, La Geologic Sismologique: Paris, Armand Colin, 488 p.
- MM Morimoto, Ryohei, Murai, Isamu, Matsuda, Tokihiko, Nakamura, Kazuaki, Tsuneishi, Yukimasa, Yoshida, Shizuo, 1966, Geological consideration on the Matsushiro earthquake-swarm since 1965 in central Japan: Tokyo Univ., Earthquake Res. Inst. Bull., v. 44, pt. 1, p. 423-445.
- MI Murai, Isamu, 1965, Fracture systems developed on the island, Awa-shim near the epicenter of the Niigata earthquake in 1964: Tokyo Univ., Earthquake Res. Inst. Bull., v. 43, pt. 3, p. 611-624.
- MH Myers, W. B., and Hamilton, Warren, 1964, Deformation accompanying the Hebgen Lake, Montana, earthquake of August 17, 1959 in The Hebgen Lake, Montana, earthquake of August 17, 1959: U.S. Geol. Survey Prof. Paper 435, p. 55-98.
- ON Ocal, N., 1959, 26 mayis 1957 Abant zelzelesi: Report Kandilli Rasath. Sism. No. 4, Istanbul.
- OR Oldham, R. D., 1899, Report on the Great Earthquake of 12th June, 1897: India Geol. Survey Mem. 29, p. 1-379.



- ORC Oldham, R. D., 1926, The Cutch earthquake of 16 June 1819 with a revision of the great (Assam) earthquake of 12 June 1897: India Geol. Survey Mem., v. 46, pt. (2), p. 1-77.
- OF Omori, Fusakichi, 1907, Preliminary note on the Formosa earthquake of March 17, 1906: Imp. Earthquake Inves. Comm., Bull. 1, no. 2, p. 53-69.
- ON Omote, S. and others, 1965, A Report on the Buyin earthquake (Iran) of Sept. 1, 1962: World Conf. on Earthquake Eng., 3rd, New Zealand 1965, Proc., v. III, p. V-27-V-44.
- OMW Ongley, M., 1943, Surface trace of the 1855 earthquake: New Zealand Royal Soc. Trans., v. 73, pt. 2, p. 84-89.
- OWH Ongley, M. and others, 1937, The Wairoa earthquake of 16th September, 1932: New Zealand Jour. Sci. Technology, v. 18, no. 12, p. 845-865.
- OY Ōtuka, Yanosuke, 1933, The geomorphology and geology of northern Idu Peninsula, the earthquake fissures of Nov. 26, 1930, and the pre- and post-seismic crust deformations: Tokyo Univ., Earthquake Res. Inst., v. 11, pt. 3, p. 530-574.
- PB Page, B. M., 1935, Basin-Range faulting of 1915 in Pleasant Valley, Nevada: Jour. Geology, v. 43, no. 7, p. 690-707.
- PH Pamir, H. N., 1952, Les séismes en Asie Mineure entre 1939 et 1944. La cicatrice nord-anatolienne: Internat. Geol. Cong., 18th, Great Britain, 1948, Proc., pt. XIII, p. 214-218.
- PA Parejas, Edouard, Akyol, I. H., and Altinli, Enver, 1941, Le tremblement de terre de'Erzincan du 27 Décembre 1939 (Secteur occidental): Istanbul Univ. Rev. Faculté Sci., Ser. B., v. 6, no. 3-4, p. 187-225.

- PN Pinar, Nuriye, 1956, Le seisme du 18 mars 1953 de Yenice-Gonen (Anatolie NW) en relation avec les éléments tectoniques: Internat. Geod. and Geophys. Union, Assoc. Seismology, Travaux Scientifiques, Série A, v. 19, p. 297-306.
- PG Plafker, George, 1965, Tectonic deformation associated with the 1964 Alaska earthquake: Science, v. 148, no. 3678, p. 1675-1687.
- PGM \_\_\_\_\_ 1967, Surface faults on Montague Island associated with the 1964 Alaska earthquake: U.S. Geol. Survey Prof. Paper 543-G, p. G1-G42.
- QS Qureshi, I. R., and Sadig, A. A., 1967, Earthquakes and associated faulting in Central Sudan: Nature, v. 215, no. 5098, p. 263-265.
- RC Richter, C. F., 1958, Elementary seismology: San Francisco, W. H. Freeman and Co., 768 p.
- RCD Romney, C. F., 1957, Seismic waves from the Dixie Valley-Fairview Peak earthquakes [Nevada]: Seismol. Soc. America Bull., v. 47, no. 4, p. 301-319.
- SJ Schmidt, J. F. J., 1881, Studien über Vulkane und Erdbeben, vol. 2: Leipzig, Alwin Georgi, 360 p.
- SSA Seismological Society America Bulletin, 1970, Seismological notes: Seismol. Soc. America Bull., v. 60, no. 2, p. 688-689.
- SR Shor, G. G., Jr., and Roberts, E. E., 1958, San Miguel, Baja California Norte [Mexico], earthquakes of February, 1956--a field report: Seismol. Soc. America Bull., v. 48, no. 2, p. 101-116.
- SE Silgado F., Enrique, 1951, The Ancash, Peru, earthquake of Nov. 10, 1946: Seismol. Soc. America Bull., v. 41, no. 2, p. 83-100.

- ST Skuphos, T. G., 1894, Die zwei grosse Erdbeben in Lokris 8/20 und 15/27 April 1894: Zeitschr. Gesell. Erdkunde zu Berlin, v. 29, p. 409-474.
- SD Slemmons, D. B., 1957, Geological effects of the Dixie Valley-Fairview Peak, Nevada, earthquakes of December 16, 1954: Seismol. Soc. America Bull., v. 47, no. 4, p. 353-375.
- SM Steinbrugge, K. V., and Moran, D. F., 1957, Engineering aspects of the Dixie Valley-Fairview Peak earthquakes: Seismol. Soc. America Bull., v. 47, no. 4, p. 335-348.
- SMA Sugimura, Arata, and Matsuda, Tokihiko, 1965, Atera fault and its displacement vectors: Geol. Soc. America Bull., v. 76, p. 509-522.
- TD Tocher, Don, 1956, Movement on the Rainbow Mountain fault [Nevada], in The Fallon-Stillwater earthquakes of July 6, 1954, and August 23, 1954: Seismol. Soc. America Bull., v. 46, no. 1, p. 10-14.
- TDF \_\_\_\_\_ 1960, The Alaska earthquake of July 10, 1958: Movement on the Fairweather fault and field investigation of southern epicentral region: Seismol. Soc. America Bull., v. 50, no. 2, p. 267-292.
- TH Tsuya, Hiromichi, 1944, Geological observations of earthquake faults of 1943 in Tottori Prefecture: Tokyo Univ., Earthquake Res. Inst. Bull., v. 22, pt. 1, p. 1-32.
- THF \_\_\_\_\_ 1946, The Fukōzu fault. A remarkable earthquake fault formed during the Mikawa earthquake of January 13, 1945: Tokyo Univ., Earthquake Res. Inst. Bull., v. 24, p. 59-75.
- UF Ulrich, F. P., 1941, The Imperial Valley earthquakes of 1940: Seismol. Soc. America Bull., v. 31, no. 2, p. 13-31.

- WR Wallace, R. E., and Roth, E. F., 1967, Rates and patterns of progressive deformation, in Brown, R. D., Jr., and others, The Parkfield-Cholame, California, earthquakes of June-August 1966--Surface geologic effects, Water-resources aspects, and preliminary seismic data: U.S. Geol. Survey Prof. Paper 579, p. 23-40.
- WC Whitten, C. A., 1955, Measurements of earth movements in California: California Div. Mines Bull. 171, p. 75-80.
- WB Willis, Bailey, 1936, Studies in comparative seismology, East African plateaus and rift valleys: Washington, D.C., Carnegie Inst. Washington, 358 p.
- WI Witkind, I. J., 1964, Reactivated faults north of Hebgen Lake, in The Hebgen Lake, Montana, earthquake of August 17, 1959: U.S. Geol. Survey Prof. Paper 435, p.37-50.
- YN Yamasaki, Naomasa, 1900, Das grosse japanische Erdbeben im nördlichen Honshū am 31 August 1896: Petermanns Mitt., v. 46, p. 249-255.
- YT Yamasaki, Naomasa, and Tada, Fumio, 1928, The Oku-Tango earthquake of 1927: Tokyo Univ., Earthquake Res. Inst. Bull., v. 4, p. 159-177.